STATE OF NEW YORK - DEPARTMENT OF CORRECTIONS AND COMMUNITY SUPERVISION

WEEKLY HEALTH & SAFETY INSPECTION REPORT

INSPECTED BY:BUILDING # / AREA:			TITLE:	
			DATE:	
	te this form each week and return it to that atisfactory (1) Satisfactory (2) N/A.	e Office of Fire	Safety. Enter appropriate # as follows:	
1.	Extinguishing equipment Stand-pipe; hose; sprinkler Head and valves	7 	Point-of-operation guards Belts; pulleys; gears; shafts; etc. Oiling; Cleaning; Adjusting	
	Exits; Stairs; Signs Storage of Flammables Evacuation Plans		Maintenance & Oil Leakage Proper Maintenance PRESSURE EQUIPMENT	
2.	HOUSEKEEPING Aisles; Stairs; Floors Storage and Piling Wash & Locker Room Light & Ventilation Disposal of Waste		Steam equipment Air receivers Compressors Gas cylinders; Hose Gas regulators UNSAFE PRACTICES	
3.	TOOLS Power tools; Wiring Hand tools Use and storage of tools		Excessive speed of vehicles Improper lifting Smoking in Danger areas Horseplay Running	
4.	PERSONAL PROTECTIVE EQUIP. Goggles or face shields Ear protectors Gloves Protective clothing		Improper user of air hose Removing guards Working unguarded machinery O. FIRST AID First Aid Kits/BVMs	
5.	MATERIAL HANDLING EQUIP. Power trucks; Hand trucks Elevators Cranes; Hoists Conveyors Cable; ropes; chains	1 1	Stretchers AEDs 1. MISCELLANEOUS Storage, acids & caustics Storage, chemicals & solvents Storage, combustibles	<u> </u>
6.	ELECTRICAL Bare or inadequate wiring Damaged wire Master Control Lock Extension cords Connections & plugs Lighting		Dust; Vapors; Fumes Ladders; Scaffolds Eye wash stations operating Safety signs/rules posted	
GENER	RAL COMMENTS:			